

Kee Klamp®

YOU'LL NEVER BE BETTER PROTECTED



Safety Components Guide



● Kee Lite aluminium version available

<p>Single Socket Tee</p> <p>10</p>  <p>Type 10-3 10-75 10-4 10-76 10-5 10-78 10-6 10-8 10-65 10-87 10-67 10-9 10-7 10-98</p>	<p>Split Single Socket Tee</p> <p>A10</p>  <p>Type A10-7 A10-8</p>	<p>Single Socket Tee</p> <p>12 45°</p>  <p>Type 12-5 12-6 12-7 12-8</p>	<p>Split Single Socket Tee</p> <p>A12 45°</p>  <p>Type A12-8</p>	<p>Flagpole Holder</p> <p>F12 45°</p>  <p>Type F12-16</p>
<p>Straight Coupling</p> <p>14</p>  <p>Type 14-4 14-5 14-6 14-7 14-8 14-9</p>	<p>Elbow</p> <p>15 90°</p>  <p>Type 15-4 15-5 15-6 15-7 15-8 15-9</p>	<p>Clamp-on Tee</p> <p>16</p>  <p>Type 16-5 16-6 16-7 16-8 16-9</p>	<p>Clamp-on Crossover</p> <p>17</p>  <p>Type 17-5 17-6 17-7 17-8 17-9</p>	<p>Internal Coupling</p> <p>18</p>  <p>Type 18-6 18-7 18-8</p>
<p>Adjustable Side Outlet Tee</p> <p>19*</p>  <p>Type 19-5 19-6 19-7 19-8 19-85 19-8T 19-9</p>	<p>Side Outlet Elbow</p> <p>20</p>  <p>Type 20-4 20-5 20-6 20-7 20-8 20-9</p>	<p>Side Outlet Tee</p> <p>21 90°</p>  <p>Type 21-4 21-5 21-6 21-7 21-8 21-9</p>	<p>Split Two Socket Side Outlet Tee</p> <p>A21 90°</p>  <p>Type A21-8</p>	<p>Three Socket Tee</p> <p>25</p>  <p>Type 25-4 25-5 25-6 25-7 25-8 25-9</p>
<p>Two Socket Cross</p> <p>26</p>  <p>Type 26-3 26-7 26-4 26-8 26-5 26-87 26-6 26-9</p>	<p>Split Two Socket Cross</p> <p>A26</p>  <p>Type A26-8</p>	<p>Single Socket Tee</p> <p>29 30°-60°</p>  <p>Type 29-6 29-7 29-8</p>	<p>Adjustable Cross</p> <p>30 30°-45°</p>  <p>Type 30-6 30-7 30-8</p>	<p>Pallet Flange</p> <p>31</p>  <p>Type 31-8</p>
<p>Decorative Ball</p> <p>32</p>  <p>Type 32-7 32-8</p>	<p>Three Socket Cross</p> <p>35</p>  <p>Type 35-4 35-5 35-6 35-7 35-8 35-9</p>	<p>Split Three Socket Cross</p> <p>A35</p>  <p>Type A35-8</p>	<p>Four Socket Cross</p> <p>40</p>  <p>Type 40-4 40-5 40-6 40-7 40-8 40-9</p>	<p>Split Four Socket Cross</p> <p>A40</p>  <p>Type A40-8</p>
<p>Crossover</p> <p>45</p>  <p>Type 45-3 45-76 45-4 45-8 45-5 45-86 45-6 45-87 45-65 45-9 45-7 45-98</p>	<p>Split Crossover</p> <p>A45</p>  <p>Type A45-6 A45-7 A45-8</p>	<p>Combination Socket Tee and Crossover</p> <p>46</p>  <p>Type 46-4 46-5 46-6 46-7 46-8 46-9</p>	<p>Single Swivel Socket</p> <p>C50</p>  <p>Type C50-44 C50-55 C50-66 C50-77 C50-88 C50-99</p>	<p>Female Single Swivel Socket Member</p> <p>F50</p>  <p>Type F50-4 F50-5 F50-6 F50-7 F50-8 F50-9</p>
<p>Male Single Swivel Socket Member</p> <p>M50</p>  <p>Type M50-4 M50-5 M50-6 M50-7 M50-8 M50-9</p>	<p>Male Single Horizontal Swivel Socket Member</p> <p>MH50</p>  <p>Type MH50-6</p>	<p>Modified M50-8 with Offset Slot</p> <p>P50</p>  <p>Type P50-8</p>	<p>Double Swivel Socket</p> <p>C51</p>  <p>Type C51-555 C51-666 C51-777 C51-888 C51-999</p>	<p>Male Double Swivel Socket Member</p> <p>M51</p>  <p>Type M51-5 M51-6 M51-7 M51-8 M51-9</p>
<p>Male Double Horizontal Swivel Socket Member</p> <p>MH51</p>  <p>Type MH51-6</p>	<p>Modified M51-8 with Offset Slots</p> <p>P51</p>  <p>Type P51-8</p>	<p>Corner Swivel Socket</p> <p>C52</p>  <p>Type C52-555 C52-666 C52-777 C52-888</p>	<p>Male Corner Swivel Socket Member</p> <p>M52</p>  <p>Type M52-5 M52-6 M52-7 M52-8</p>	<p>Swivel Elbow</p> <p>BC53</p>  <p>Type BC53-66 BC53-77 BC53-88</p>
<p>Adjustable Three Way Swivel Socket</p> <p>C53</p>  <p>Type C53-888</p>	<p>Variable Angle Double Swivel Socket Member</p> <p>M53</p>  <p>Type M53-8</p>	<p>Obtuse Angle Elbow</p> <p>55</p>  <p>Type 55-6 55-7 55-8</p>	<p>Variable Elbow</p> <p>55A 11°-30°</p>  <p>Type 55A-7 55A-8</p>	<p>Acute Angle Elbow</p> <p>56 30°-45°</p>  <p>Type 56-7 56-8</p>

Acute Angle Elbow 56A 11°-30°  Type 56A-7 56A-8	Modified M50-8 with Slot P57  Type P57-8	Modified P57 P57E  Type P57E-7	Swivel Flange C58  Type C58-5 C58-6 C58-7 C58-8 C58-9	Swivel Flange Plate M58 
Double Central Flange Fitting P58  Type P58-7	Spigot Flange 59  Type 59-5 59-6 59-7 59-8 59-9	Extra Heavy Flange 60  Type 60-5 60-6 60-7 60-8	Flange 61  Type 61-3 61-4 61-5 61-6 61-7 61-8 61-9	Standard Railing Flange 62  Type 10-5 10-6 10-7 10-8 10-9
Angle Base Flange 63 45°-60°  Type 63-6 63-7 63-8	Standard Vertical Railing Base 64  Type 64-6 64-7 64-8	Standard Horizontal Railing Base 65  Type 65-6	Ground Socket 66  Type 66-6 66-7 66-8 66-9	Angle Flange 67 3°-11°  Type 67-6 67-7 67-8
Wall Flange 68  Type 68-6 68-7 68-8	Railing Flange with Toeboard Adapter 69  Type 69-6 69-7 69-8	Rail Support 70  Type 70-5 70-6 70-7 70-8	Open Handrail Support 70A  Type 70A-5 70A-6 70A-7 70A-8	Weather Cap 71  Type 71-6 71-7 71-8
Stair Tread Support 72  Type 72-8	Collar 75  Type 75-4 75-5 75-6 75-7 75-8	Hook 76  Type 76-5 76-6 76-7 76-8	Plastic Plug 77  Type 77-4 77-5 77-6 77-7 77-8 77-9	Eye Fitting 78  Type 78-5 78-6 78-7 78-8
Sheeting Clip 79  Type 79-7	Single Sided Clip 81  Type 81-5 81-6 81-7 81-8 81-9	Double Sided Clip 82  Type 82-5 82-6 82-7 82-8 82-9	Pin Fitting 83  Type 83-5 83-6 83-7 83-8	Malleable Plug 84  Type 84-5 84-6 84-7 84-8 84-9
Angle Tee 86 0°-11°  Type 86-6 86-7 86-8	Angle Elbow 87 0°-11°  Type 87-6 87-7 87-8	Three Socket Angle Tee 88 0°-11°  Type 88-6 88-7 88-8	Two Socket Angle Cross 89 0°-11°  Type 89-6 89-7 89-8 89-87	PGR Three Socket Tee 90  Type 90-8
PGR Two Socket Tee 91  Type 91-8	PGR Elbow 92  Type 92-8	PGR Tee 93  Type 93-8	PGR Internal Spigot 95  Type 95-8	Set Screws 97  Type 97-3 97-4 97-56 97-56S* 97-789 97-789S*
Anti-Theft Device 97ATD 	Ratchet 98  Type 98 Ratchet Handle 98-56 Socket 98-789 Socket	Hex Key 99  Type 98-3 98-4 98-56 98-789	Plastic Set Screw Cap 100  Type 100-56 100-789	Sheeting Clip without Hardware 105  Type 105-6 105-7 105-8 105-9

*Stainless steel


● Kee Lite aluminium version available

Swivel Tee 114  Type 114-6 114-7 114-8	Horizontal Railing Base 115  Type 115-6 115-7 115-8	Packer Plate for Type 115 S115 	Cover Flange 118  Type 118-8	Corner Crossover 121  Type 121-7
Crossover Coupling 145  Type 145-7	Toeboard TB150  Type TB150 Aluminium Toeboard TB2 Straight Connector TB2C Right Angle Connector TPF1 Fixing Pack TB3-7 Saddle Bracket TB3-8 Saddle Bracket	Single Sided Fixing Bracket 199  Type 199-6 199-7 199-8	Double Sided Fixing Bracket 200  Type 200-6 200-7 200-8	Round Base Flange 262  Type 262-8
Offset Rail Wall Flange 265  Type 265-7 265-8	Parapet Flange 316  Type 316-7 316-8	Left Hand Level to Sloping Down Side Outlet Elbow 320LH 30°-45°  Type 320LH-7 320LH-8	Right Hand Level to Sloping Down Side Outlet Elbow 320RH 30°-45°  Type 320RH-7 320RH-8	Left Hand Level to Sloping Down Side Outlet Tee 321LH 30°-45°  Type 321LH-7 321LH-8
Right Hand Level to Sloping Down Side Outlet Tee 321RH 30°-45°  Type 321RH-7 321RH-8	Level to Sloping Down Tee 325 30°-45°  Type 325-7 325-8	Level to Sloping Up Tee 325A 30°-45°  Type 325A-7 325A-8	Level to Sloping Down or Up Cross 326 30°-45°  Type 326-7 326-8	Three Socket Tee 327 11°-30°  Type 327-7 327-8
Two Socket Cross 328 11°-30°  Type 328-7 328-8	Single Socket Tee 329 11°-30°  Type 329-7 329-8	Eaves Fitting 350  Type 350-8	Ridge Fitting 351  Type 351-8	Angle Base Flange 363 11°-30°  Type 363-7 363-8
Three Socket Tee 427 30°-45°  Type 427-7 427-8	Square Base Wall Flange 613  Type 613-5 613-6 613-7 613-8 623-9	High Capacity Base Flange 623  Type 623-8 623-9	Keel Gate SGEUPC2 	

* Normally used in pairs but sold/priced separately

Components for Safety Barrier Solutions

- Cast iron – BS EN 1562 /1563
- Hot dip galvanised – BS EN 1461
- Can be supplied polyester powder coated
- Unlimited number of applications
- Uses standard steel tube sizes – ISO 65 and BS EN 10255



Fitting-Size	Tube diameter (mm o.d.)	Nominal bore*1 (mm)
3	17.5	10
4	21.3	15
5	26.9	20
6	33.7	25
7	42.4	32
8	48.3	40
9	60.3	50


*1 Nominal bore is an arbitrary dimension, because the bore varies with the wall thickness of the tubes.

Single Handrail Socket Capped 10-840C  Type 10-840C	Single Handrail Socket 10-848  Type 10-848	Add-on Single Handrail Socket A10-748  Type A10-748	Add-on Single Handrail Socket A10-848  Type A10-848	Twin Handrail Socket 26-840  Type 26-840
Twin Handrail Socket Capped 26-840C  Type 26-840C	Upright Top Cap 84-848  Type 84-848	Gap Washer (Optional) 508-7  Type 508-7	Internal Coupling 514-7  Type 514-7	Split Elbow (90°) 515-7  Type 515-7
Handrail Bracket 518-7  Type 518-7	Solid Elbow (90°) 520-7  Type 520-7	Variable Angle 554-7  Type 554-7	Top Fix Rail Bracket 555-8  Type 555-8	Wall Flange 561-7  Type 561-7
Wall Mounted End Return 565-7  Type 565-7	End Post Handrail Return 567-7  Type 567-7	Wall Mounted Handrail Bracket 570-7  Type 570-7	Upright Mounted Handrail Joiner 575-7  Type 575-7	Wall Mounted Handrail Joiner 580-7  Type 580-7

Components for DDA Compliant Handrail Solutions

- Meets the requirements of the Equality Act 2010, the Building Regs, Part M and BS 8300
- Cast iron – BS EN 1562 /1563
- Hot dip galvanised – BS EN 1461
- Can be supplied polyester powder-coated
- Uses standard steel tube sizes – ISO 65 and BS EN 10255

Basic Assembly





Kee Safety Limited
Cradley Business Park
Overend Road
Cradley Heath
West Midlands
B64 7DW
United Kingdom

Tel: +44 (0) 1384 632 188

Fax: +44 (0) 1384 632 192

Email: sales@keesafety.com

Web: www.keesafety.co.uk



Kee Klamp and Kee Lite are registered trademarks of Kee Safety Ltd. Whilst every effort has been made to ensure the accuracy of the information contained in this brochure, Kee Safety Ltd cannot be held responsible for any errors or omissions. Kee Safety Ltd reserves the right to alter or withdraw products without prior notice. Kee Safety Ltd accepts no responsibility for any loss or damage arising from improper use of its products. Copyright © 2024 Kee Safety Ltd. All Rights Reserved.